

## Practice exam 1 problems

### 1

Write the Taylor series of  $f(x) = x^{-2}$  about  $a = 1$  as the first 3 terms plus a remainder term.

### 2

Use Taylor's theorem to find a cubic polynomial  $p(x)$  that approximates accurately  $f(x) = x^{5/3}$  when  $x$  is close to 1.

### 3

- (a) Find the term of order 3 ( $i = 3$ ) in the Taylor series of  $\ln(x)$  about  $a = 4$ .
- (b) Write Python code to sum the first 5 terms of this Taylor series for  $x = 4.2$

### 4

Write the Taylor series of  $f(x) = \cos(x)$  about  $a = \pi$  as the first 3 terms plus a remainder term.

### 5

It's given that  $f(a) = b, f'(a) = c, f''(a) = d, f'''(a) = e$ ; all higher order derivatives of  $f(x)$  are zero at  $x = a$ ; and the function  $f$  and all its derivatives exist and are continuous between  $x = a$  and  $x = k$ .

- (a) If  $a = 2, b = 1, c = -2, d = 4, e = 3, k = 5$ , what is  $h \equiv f(k)$ ?
- (b) Write a Python function to solve for  $f(k)$  in general. The first line should be  
`def ffind (a, b, c, d, e, k):`

### 6

- (a) Use 5 iterations of Newton's method to find a root of the function  $f(x) = x^5 - 2x + 1$  starting with  $x_0 = 0$ .
- (b) Estimate the fractional error of your result.

## 7

For  $R = 27$ , apply two iterations of Newton's method with a starting value  $x_0 = 5$  to the equation  $x^2 - R = 0$  to estimate  $\sqrt{R}$ .

## 8

For  $R = 30$ , apply two iterations of Newton's method with a starting value  $x_0 = 3$  to the equation  $x^3 - R = 0$  to estimate  $\sqrt[3]{R}$ .

## 9

Write a Python script that plots  $\log_{10}(x)$  for  $x$  between 1 and 100 and labels the  $x$  and  $y$  axes.

## 10

Suppose  $a$  is some real number that rounds to 100006 and  $b$  is another real number that rounds to 99993. Estimate the fractional error in computing  $a - b$  if the subtraction is done on a computer with machine epsilon of  $\epsilon = 10^{-8}$ .

## 11

To 3 significant digits, find the absolute and relative errors of approximating 100 lbf by 442 N (conversion factor: 4.4482216152605 N per lbf). Give correct units.

## 12

To 3 significant digits, find the absolute and relative errors of approximating 1000 lbf by 453 kg (conversion factor: 0.45359237 kg per lbf). Make sure to give correct units.

## 13

To 3 significant digits, find the absolute and relative errors of approximating  $\cos(0.4)$  by the sum of the first 3 nonzero terms of the Maclaurin series of cosine.

## 14

To 5 significant digits, find the absolute and relative errors of approximating the number  $\gamma = 0.5772156649\dots$  by 0.577

## 15

To 4 significant digits, find the absolute and relative errors of approximating the number  $\alpha = 0.0072973525664 \dots$  by  $\frac{1}{137}$ .

## 16

- (a) What is decimal 8.5 in base 2?
- (b) What is binary 11100 in base 10?

## 17

- (a) What is decimal 0.625 in base 2?
- (b) What is binary 10111 in base 10?

## 18

If  $\mathbf{A} = \mathbf{L}\mathbf{U}$ ,  $\mathbf{L} = \begin{pmatrix} 1 & 0 & 0 & 0 \\ 3 & 1 & 0 & 0 \\ 4 & 3 & 1 & 0 \\ 1 & 0 & 1 & 1 \end{pmatrix}$ ,  $\mathbf{U} = \begin{pmatrix} 3 & 1 & 4 & 5 \\ 0 & 3 & 1 & 2 \\ 0 & 0 & 3 & 2 \\ 0 & 0 & 0 & 4 \end{pmatrix}$ ,  $\mathbf{b} = \begin{pmatrix} 44 \\ 154 \\ 256 \\ 74 \end{pmatrix}$ ,  
find  $\mathbf{x}$  such that  $\mathbf{Ax} = \mathbf{b}$ .

## 19

- (a) Find the LU decomposition of the matrix  $\mathbf{N} = \begin{pmatrix} 2 & -2 & 0 \\ x & 2 & 0 \\ 0 & -1 & 3 \end{pmatrix}$ .
- (b) For what value of  $x$  does  $\mathbf{N}$  have no inverse? Explain.

## 20

Given  $\mathbf{A} = \begin{pmatrix} 3 & -2 & 1 \\ 0 & 3 & 0 \\ -2 & 1 & 0 \end{pmatrix}$ ,  $\mathbf{b} = \begin{pmatrix} 2 \\ 0 \\ 0 \end{pmatrix}$ ,  $\mathbf{Ax} = \mathbf{b}$ ,

- (a) Find  $\mathbf{L}$ ,  $\mathbf{U}$ ,  $\mathbf{P}$  for the LU decomposition of  $\mathbf{A}$  with row pivoting.
- (b) Find  $\mathbf{x}$ .

## 21

(a) Use Gauss elimination with row pivoting to find  $\mathbf{L}$  and  $\mathbf{U}$  factors for the

$$\text{matrix } \mathbf{M} = \begin{pmatrix} 0 & 3 & 4 & 4 \\ 1 & 0 & 1 & 1 \\ 0 & 2 & 2 & 1 \\ 0 & 0 & 0 & 3 \end{pmatrix}$$

(b) How is the product  $\mathbf{LU}$  related to  $\mathbf{M}$ ? Explain.

## 22

Suppose the Cholesky factor for a symmetric matrix  $\mathbf{A}$  is  $\mathbf{L} = \begin{pmatrix} 1 & 0 & 0 \\ 1 & 2 & 0 \\ 1 & 0 & 1 \end{pmatrix}$ .

(a) What is  $\mathbf{A}$ ?

(b) Solve  $\mathbf{Ax} = \begin{pmatrix} 4 \\ 3 \\ 7 \end{pmatrix}$  for  $\mathbf{x}$ , using forward and back substitution.

## 23

Let  $\mathbf{A}$  be a symmetric positive definite matrix whose Cholesky factor is

$$\mathbf{L} = \begin{pmatrix} 2 & 0 & 0 & 0 \\ -1 & 1 & 0 & 0 \\ 2 & 1 & 3 & 0 \\ -1 & 2 & 1 & 2 \end{pmatrix}.$$

(a) Solve the system  $\mathbf{Ax} = \mathbf{b} = \begin{pmatrix} 0 & 1 & 3 & 0 \end{pmatrix}^T$ . Show and explain all steps.

(b) Find  $\mathbf{A}$ .